



Faces of Balanced Minimal Evolution Polytopes from Quotients of the Permutoassociahedron.


Stefan Forcey, Logan Keefe, William Sands. U. Akron.




The Balanced minimal evolution method: ex. tree metric.



The Balanced minimal evolution method: ex. tree metric.



The Balanced minimal evolution method: ex. tree metric.






$$\mathbf{d} = \langle 6, 8, 9, 12, 7, 15 \rangle$$

The Balanced minimal evolution method: ex. tree metric.

$$x(t)_{ij} = 2^{(n-2-l_{ij})}$$

t

$x(t)$




The Balanced minimal evolution method: ex. tree metric.

$$x(t)_{ij} = 2^{(n-2-l_{ij})}$$


t

$x(t)$


$d \cdot x(t)$



$\langle 2, 1, 1, 1, 1, 2 \rangle$



$\langle 1, 2, 1, 1, 2, 1 \rangle$



$\langle 1, 1, 2, 2, 1, 1 \rangle$




The Balanced minimal evolution method: ex. tree metric.

$$x(t)_{ij} = 2^{(n-2-l_{ij})}$$



t

x(t)


d·*x(t)*




The Balanced minimal evolution polytope \mathcal{P}_4 .




Permutoassociahedron \mathcal{KP}_2




Permutoassociahedron \mathcal{KP}_2



Permutoassociahedron \mathcal{KP}_3




Projection to BME(n)



Theorem

If $x \leq y$ as faces in the face lattice of $K\mathcal{P}_n$, then $\varphi(x) \leq \varphi(y)$ as faces in the face lattice of P_n , the BME polytope.

Projection to BME(2)




Now we show how the target of the map φ is actually the BME polytope.

Theorem

For each non-binary phylogenetic tree t with n leaves there is a corresponding face $F(t)$ of the BME polytope \mathcal{P}_n . The vertices of $F(t)$ are the binary phylogenetic trees which are refinements of t .




A face of BME(n)



Theorem

For t an n -leaved phylogenetic tree with exactly one node ν of degree $m > 3$, the tree face $F(t)$ is precisely the clade-face F_{C_1, \dots, C_p} , defined in [H,H,Y], corresponding to the collection of clades C_1, \dots, C_p which result from deletion of ν . Thus $F(t)$ is combinatorially equivalent to the smaller dimensional BME polytope \mathcal{P}_m .


Clade face



Theorem

Let t be a phylogenetic tree with $n > 5$ leaves which has exactly two nodes ν and μ , with degrees both larger than 3. Then the trees which refine t are the vertices of a facet of the BME polytope \mathcal{P}_n .

Split faces; split facets.



$$\sum_{i < j, \text{ leaves } i, j \in S_1} x_{ij} \leq (m - 1)2^{n-3}$$




Figure: Examples of chains in the lattice of tree-faces of the BME polytope \mathcal{P}_9 .

Features of the BME polytope \mathcal{P}_n

number of species	dim. of \mathcal{P}_n	vertices of \mathcal{P}_n	facets of \mathcal{P}_n	facet inequalities (classification)	number of facets	number of vertices in facet
3	0	1	0	-	-	-
4	2	3	3	$x_{ab} \geq 1$	3	2
				$x_{ab} + x_{bc} - x_{ac} \leq 2$	3	2
5	5	15	52	$x_{ab} \geq 1$ (caterpillar)	10	6
				$x_{ab} + x_{bc} - x_{ac} \leq 4$ (intersecting-cherry)	30	6
				$x_{ab} + x_{bc} + x_{cd} + x_{df} + x_{fa} \leq 13$ (cyclic ordering)	12	5
				$x_{ab} \geq 1$ (caterpillar)	15	24
6	9	105	90262	$x_{ab} + x_{bc} - x_{ac} \leq 8$ (intersecting-cherry)	60	30
				$x_{ab} + x_{bc} + x_{ac} \leq 16$ (3, 3)-split	10	9
				$x_{ab} \geq 1$ (caterpillar)	$\binom{n}{2}$	$(n-2)!$
n	$\binom{n}{2} - n$	$(2n-5)!!$?	$x_{ab} + x_{bc} - x_{ac} \leq 2^{n-3}$ (intersecting-cherry)	$\binom{n}{2}(n-2)$	$2(2n-7)!!$
				$x_{ab} + x_{bc} + x_{ac} \leq 2^{n-2}$ ($m, 3$)-split, $m \geq 3$	$\binom{n}{3}$	$3(2n-9)!!$
				$\sum_S x_{ij} \leq (m-1)2^{n-3}$ ($m, n-m$)-split S , $m > 2, n > 5$	$2^{n-1} - \binom{n}{2}$ $-n-1$	$(2(n-m)-3)!!$ $\times (2m-3)!!$

Thanks!

Questions and comments?

Advertisement:

<http://www.math.uakron.edu/~sf34/hedra.htm>

Splitohedron.

```
polytope > print $p->VERTICES;
```

```
1 1 2 1 4 2 4 1 2 2 1  
1 1 2 4 1 2 1 4 2 2 1  
1 1 4 2 1 1 2 4 2 1 2  
1 1 1 2 4 4 2 1 2 1 2  
1 1 1 4 2 4 1 2 1 2 2  
1 1 4 1 2 1 4 2 1 2 2  
1 2 1 4 1 2 2 2 1 4 1  
1 8/3 4/3 8/3 4/3 4/3 4/3 8/3 8/3 8/3 4/3  
1 2 1 1 4 2 2 2 4 1 1  
1 4/3 4/3 8/3 8/3 8/3 4/3 4/3 8/3 4/3 8/3  
1 4/3 8/3 4/3 8/3 8/3 4/3 4/3 8/3 4/3 8/3  
1 4 1 2 1 1 2 1 2 4 2 2  
1 8/3 4/3 4/3 8/3 8/3 4/3 4/3 8/3 4/3 8/3  
1 8/3 4/3 8/3 4/3 8/3 4/3 4/3 8/3 4/3 8/3  
1 2 2 2 2 4 1 1 1 1 4  
1 8/3 8/3 4/3 4/3 4/3 8/3 4/3 4/3 8/3 8/3  
1 8/3 8/3 4/3 4/3 4/3 8/3 4/3 8/3 4/3 8/3  
1 2 4 1 1 2 2 2 1 1 4  
1 4/3 4/3 8/3 8/3 8/3 4/3 8/3 8/3 4/3 4/3  
1 4/3 8/3 4/3 8/3 4/3 8/3 8/3 4/3 8/3 4/3
```

```
1 2 2 2 2 1 1 4 4 1 1  
1 2 2 2 2 1 4 1 1 4 1  
1 4/3 8/3 8/3 4/3 8/3 4/3 8/3 4/3 8/3 4/3  
1 4/3 8/3 8/3 4/3 4/3 8/3 8/3 4/3 8/3 4/3  
1 4 1 1 2 1 1 2 4 2 2  
1 8/3 4/3 4/3 8/3 8/3 4/3 4/3 8/3 4/3 8/3  
1 8/3 4/3 8/3 4/3 8/3 4/3 4/3 8/3 4/3 8/3  
1 2 2 2 2 4 1 1 1 1 4  
1 8/3 8/3 4/3 4/3 4/3 8/3 4/3 4/3 8/3 8/3  
1 8/3 8/3 4/3 4/3 4/3 8/3 4/3 8/3 4/3 8/3  
1 2 4 1 1 2 2 2 1 1 4  
1 4/3 4/3 8/3 8/3 8/3 4/3 8/3 8/3 4/3 4/3  
1 4/3 8/3 4/3 8/3 4/3 8/3 8/3 4/3 8/3 4/3
```

Splitohedron.

```
polytope > print $p->VERTICES;
```

1 1 2 1 4 2 4 1 2 2 1
1 1 2 4 1 2 1 4 2 2 1
1 1 4 2 1 1 2 4 2 1 2
1 1 1 2 4 4 2 1 2 1 2
1 1 1 4 2 4 1 2 1 2 2
1 1 4 1 2 1 4 2 1 2 2
1 2 1 4 1 2 2 2 1 4 1
1 8/3 4/3 8/3 4/3 4/3 4/3 8/3 8/3 8/3 4/3
1 2 1 1 4 2 2 2 4 1 1
1 4/3 4/3 8/3 8/3 8/3 4/3 4/3 8/3 4/3
1 4/3 8/3 4/3 8/3 8/3 4/3 4/3 4/3 8/3
1 4 1 2 1 1 2 1 2 4 2
1 4 2 1 1 2 1 1 2 2 4
1 8/3 4/3 4/3 8/3 4/3 8/3 4/3 8/3 4/3

1 2 2 2 2 1 1 4 4 1 1
1 2 2 2 2 1 4 1 1 4 1
1 4/3 8/3 8/3 4/3 4/3 8/3 4/3 8/3 4/3 8/3
1 4/3 8/3 8/3 4/3 4/3 8/3 8/3 4/3 8/3 4/3
1 4 1 1 2 1 1 2 4 2 2
1 8/3 4/3 4/3 8/3 8/3 4/3 4/3 8/3 4/3 8/3
1 8/3 4/3 8/3 4/3 8/3 4/3 4/3 8/3 4/3 8/3
1 2 2 2 2 4 1 1 1 4
1 8/3 8/3 4/3 4/3 4/3 8/3 4/3 8/3 4/3 8/3
1 8/3 8/3 4/3 4/3 4/3 8/3 4/3 8/3 4/3 8/3
1 2 4 1 1 2 2 2 1 1 4
1 4/3 4/3 8/3 8/3 8/3 4/3 8/3 8/3 4/3 4/3
1 4/3 8/3 4/3 8/3 4/3 8/3 8/3 4/3 8/3 4/3